

**Project:**

**Type:**

**Prepared By:**

**Date:**



UPC: 019813700571



### Features and Benefits

- Energy efficient replacement for incandescent and halogen Reflector lamps
- Constructed from durable plastic which lowers risk of breakage
- Rated for use in enclosed and open fixtures in dry or damp locations
- Frosted lens produces smooth diffuse light
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- UL Listed
- Dimmable with common dimmer types (check compatibility list)
- Contractor 6 Pack

## Technical Specifications

### Performance

**Product Type:**

Reflector

**Input Wattage:**

8.5W

**Lumens (Nominal):**

680

**Color Accuracy:**

80

**Color Temperature:**

5000K

**Dimmable:**

Yes

**L70 Lifespan:**

15,000-Hour LED lifespan based on IES LM-70 results

### Construction

**Bulb Shape:**

BR30

**Enclosure Material:**

Plastic

**Housing Finish:**

White

**Lens Finish:**

Frosted

**Base Type:**

E26

**Beam Angle:**

120°

### Electrical

**Power Factor:**

>0.9

**Input Voltage:**

120V

**Operating Frequency:**

60 Hz

**Operating Temperature:**

-20°C - 45°C

## Technical Specifications (continued)

### Other

**Equivalency:**

65W

**Technology EQ:**

Incandescent

**Warranty (Years):**

The RAB 2-year, limited warranty covers light output, driver performance and paint finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

### Compliance

**Safety Listing:**

UL Listed

**Environment/Fixture Rating:**

Damp / Open

**ENERGY STAR V2.0:**

This product is ENERGY STAR® Version 2.0 Certified

**Energy Star ID:**

2367401

**RoHS:**

Mercury and UV free. RoHS-compliant components.

**FCC:**

Complies with Part 15 of the FCC Rules

**Model Number:**

A10047(BR30-8.5-850-DIM ECO)

## Minimum Compartment Size

Length x Width x Height [in]	Lamp Quantity
19.8 x 14.5 x 7.4	6

## Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
<b>CASE</b>	24	0	0	0
<b>PALLET</b>	120	0	0	0

## Dimension

